Tel: 02-8717 6500 Toll Free: 1300-130-718

E-mail: orders@horseley.com.au Website: www.horseley.com.au

HORSELEY DENTAL ENDODONTIC

September 2023

FREIGHT for orders over \$300.00


ALL PRICES GST INCLUSIVE prices and offers subject to change without notice
OFFERS ARE NOT VALID IN CONJUNCTION WITH ANY OTHER SPECIAL/BONUS OFFERS AND SUBJECT TO STOCK AVAILABILITY

Goods sold are not returnable without prior approval. Returns and claims must be made within 10 days of delivery. Costs incurred by return goods will be at the sender's expense. Goods returned for credit or exchange must be unmarked and in a saleable condition. All accounts are strictly 30 days from invoice date. We reserve the right to charge 2% interest per month on overdue accounts.



with 3 mm very rigid tip · Recommended for single

use only E48 C+ Files Single or Assorted Sizes





premium blus

CROSS-SECTION SY/S1/S2 F1/F2/F3 F4/F5 Heat (Activated CM-Wire

Safe Tip

CROSS-SECTION

E01 SUPER FILES GOLD NITI heat activation

6 pcs/pack

LENGTH	SIZE	TAPER %	TIP (mm)
19 mm	SX	3.5-9	0.19
	S1 	2-11	0.17
	S2 🔾	4-11.5	0.20
21 mm	F1 🛑	7	0.20
or	F2 🛑	8	0.25
25 mm	F3 🔵	9	0.30
	F4 ●	6	0.40
	F5 🛑	5	0.50

- · Smart varied taper design
- High cutting efficiency
- · Good flexibility and fracture resistance
- Torque 2.0 Ncm 2.5 Ncm
- 🗘 150-300 r.p.m.

E01 Super Files Gold Single or Assorted Sizes, 6 pcs/pack ... \$38,50

#10 RECOMMENDED OPERATION PROCESS **PROBE OPENING SHAPING** FINISHING F3 **FNI ARGING** F5

SX/S1/S2 F1/F2/F3 F4/F5 Activated CM-Wire

Flexible

EO2 SUPER FILES BLUE NITI heat activation

LENGTH	SIZE	TAPER %	TIP (mm)
19 mm	SX	3.5-9	0.19
	S1 	2-11	0.17
	S2 🔾	4-11.5	0.20
21 mm	F1 🛑	7	0.20
or	F2 🛑	8	0.25
25 mm	F3 🔵	9	0.30
	F4 ●	6	0.40
	F5 🛑	5	0.50

- Smart varied taper design
- · High flexibility and pre-curved memory
- · Safe tip, reduces the possibility of root canal deviation
- Torque 2.0 Ncm 2.5 Ncm
- ◆ 150-300 r.p.m.

E02 Super Files Blue Single or Assorted Sizes, 6 pcs/pack ... \$38.50

_	ppope	#10
OPERATION	PROBE	#15
ERA	OPENING	SX F
S	SHAPING	S1 (====================================
DED	SHAPING	S2 ====================================
MEN	FINISHING	F1 (====================================
MN P		F2
ECC		F3 (====================================
E02 RECOMMENDED PROCESS		F4 (====================================
	ENLARGING	F5 (====================================





E05 ONE FILES NITI heat activation E06 ONE FILES NITI allow

- Reciprocating system Only one instrument needed for a root canal preparation
- Efficient and time saving
- 3 sizes for different size root canals
- Torque 2.0 Ncm 2.5 Ncm


E05/E06 ONE FILES					
LENGTH	SIZE	TAPER %	TIP (mm)		
21 mm or 25 mm	#R25 🛑	8	0.25		
	#R40	6	0.40		
	#R50 🛑	5	0.50		

F05 One Files NiTi Heat Activation Single or Assorted Sizes, 6 pcs/pack ... \$49.50

E05/E06 ONE FILES				
#R25				
#R40				
#R50				

E06 One Files NiTi Alloy Single or Assorted Sizes, 6 pcs/pack ... \$44.55

E07 M-FILES NITI allow



E16 PRO-PATH FILES GOLD

- Unique flexibility
- Non-uniform taper (2%-6%)
- Pro-Path files #016 is all you need to manage all curves to the apex


E16 Pro-Path Files #016 21 mm or 25 mm 6 pcs/pack ... \$39.60



- · Each size creates a glide path for the following file
- · Efficient, safe shaping and dentin removal

E07 M-Files NiTi Alloy 21 mm or 25 mm, 6 pcs/pack ... \$44.55

E08 ROLL WAVE FILES GOLD NiTi heat activation



- Reciprocating system
- Increased flexibility for safety
- Available in 21 mm or 25 mm
- Efficient safe shaping

E08 Roll Wave Files Gold 4 pcs/pack ... \$49.50

L	ENGTH	SIZE	No.	TAPER %
		small	20	07
	21 mm	small-medium	25	07
	25 mm	medium	35	06
		○ large	45	05
	or	• medium	35	



E14 PA-FILES NITI allow



- · 2% taper, for building a glide path
- · Efficient and time saving
- (150-300 r.p.m.

LENGTH	SIZE	No.
21 mm or 25 mm	small	013
	osmall-medium	016
	medium	019

E14 PA-Files 21 mm or 25 mm 6 pcs/pack ... \$33.55

E10 D-FILES retreatment files



LENGTH	SIZE	No.	TAPER %
16 mm	D1	30	0.09
18 mm	D2	25	0.08
or 22 mm	D3	20	0.07
22 111111	D1-D3		

E10 D-Files 16 mm, 18 mm, 22mm 6 pcs/pack ... \$36.85

E09 GC-FILES stainless steel



LENGTH	SIZE	No.
		25
21 mm or		30
25 mm		35
		45

E09 GC-Files 21 mm or 25 mm 4 pcs/pack \$27.50





E38 BARBED BROACHES stainless steel					
Length Size					
	XXXXF (0)				
	XXXF (1)				
	XXF (2)				
21 mm	XF (3)				
	F (4)				
	M (5)				
	C (6)				





E30 K-FILES stainless steel

E30 K-FILES stainless steel						
#06	#08	#10				
#15 🔾	#20 🛑	#25	#30	#35	#40	
#45 🔾	#50 🛑	#55	#60	#70	#80	



E32 K-FILES NiTi alloy

E32 K-FILES NiTi alloy					
#08	#10				
#15 🔾	#20 🛑	#25	#30	#35	#40
#45 🔾	#50 🛑	#55	#60	#70	#80

E32 K-Files NiTi Alloy 21 or 25 mm, 6 pcs/pack No.08-80 Single Size\$8.80 No.15-40, 45-80 Assorted Sizes ... \$8.80



E34 H-FILES stainless steel

	E34 H-FILES stainless steel				
#08	#10				
#15 🔾	#20 🛑	#25	#30	#35	#40
#45 🔾	#50 🛑	#55	#60	#70	#80

E34 H-Files Stainless Steel 21 or 25 mm, 6 pcs/pack No.08-80 Single Size\$6.60 No.15-40, 45-80 Assorted Sizes ... \$6.60



E36 H-FILES NITI alloy

E36 H-FILES stainless steel					
#08	#10				
#15 🔾	#20 🛑	#25	#30	#35	#40
#45 🔾	#50 🛑	#55	#60	#70	#80

E36 H-Files NiTi Alloy 21 or 25 mm, 6 pcs/pack No.08-80 Single Size\$8.80 No.15-40, 45-80 Assorted Sizes ... \$8.80



FINGER SPREADERS stainless steel / NiTi alloy

SPREADERS stainless steel / NiTi alloy					у
#15 🔾	#20 🛑	#25	#30	#35	#40

E40 Spreaders Stainless Steel 25 mm, 6 pcs/pack No.15-40, Single or Assorted Sizes \$8.80

E42 Spreaders NiTi Alloy 25 mm, 6 pcs/pack No.15-40, Single or Assorted Sizes ... \$11.00



FINGER PLUGGERS stainless steel / NiTi alloy

PLUGGERS stainless steel / NiTi alloy					,
#15 🔾	#20 🛑	#25	#30	#35	#40

E44 Pluggers Stainless Steel 25 mm, 6 pcs/pack No.15-40, Single or Assorted Sizes \$8.80

E46 Pluggers NiTi Alloy 25 mm, 6 pcs/pack No.15-40, Single or Assorted Sizes ... \$11.00



E12 GATES DRILLS stainless steel

E12 GATES DRILLS stainless steel			
LENGTH	SIZE	DIAMETER (mm)	
	#1	0.5	
	#2	0.7	
28 mm or	#3	0.9	
32 mm	#4	1.1	
	#5	1.3	
	#6	1.5	

- High cutting efficiency
- Recommended speed 800-1,200 r.p.m.

E12 Gates Drills Single or Assorted Sizes 6 pcs/pack \$16.50



E11 SPIRAL FILLERS stainless stee		
LENGTH	SIZE	
	#25 🛑	
21 mm or 25 mm	#30	
	#35	
	#40 ●	

E11 Spiral Fillers Single or Assorted Sizes 4 pcs/pack \$14.85



E04 ULTRASONIC FILES NITI alloy

E04 ULTRASONIC FILES NiTi alloy		
#15 🔾	#30	
#20	#35	
#25	#40	

- For use with ultrasonic scaler
- Excellent tenacity
- Length: 33 mm

E04 Ultrasonic Files Single Size, 6 pcs/pack ... \$12.65




SILICONE ENDO STOPS

- Available in round type
- Easy to use

Endo Stops Assorted Colours 100 pcs/pack ... \$16.50





Special endodontic bur with a long, conical blade configuration and cross-cut used for preparing a funnel-shaped access in the pulp chamber. The cross-cut quarantees quiet, efficient removal of tooth structure. The rounded, non-cutting bur tip (safe end) prevents penetration into the root canal walls and pulp chamber floor. Application after removal of the pulp chamber roof using the endodontic bur 802L for extending the access opening to ensure successful endodontic treatment.



FG 009

\$115.50

FGL 009

\$115.50



EDENTA H152 ENDO CARBIDE BURS FG / FGL

EDENTA ENDO ACCESS CARBIDE BURS FG / FGXL / FGXXL

Special endodontic drill with a long, conical blade configuration for producing a funnel-shaped access into the pulp chamber. The rounded, safe end drill tip prevents penetration into the root canal walls and the floor of the pulp chamber during drilling. Maximum motor speed 120,000 r.p.m., apply only light pressure during preparation.







Order No.


5 pcs/pack








Special endodontic drill for reducing the pulp chamber roof and extending the access opening for successful root canal treatment. The long diamondcoated instrument neck facilitates producing a straight access to the root canal and creating a funnel-shaped access to the pulp chamber. The special diamond grit guarantees rapid and gentle removal of the tooth structure. Speed opt. 120,000 - 160,000 rpm. Apply only light pressure during preparation.






The efficiently cutting bur blades enable pressureless, minimally invasive preparation. The long, slender neck guarantees good visibility to the access cavity. Endoburs with L34 are particularly suitable for preparing under a microscope to ensure an optimum view of deeper areas of the pulp chamber, and showing the anatomy of the cavity chamber floor. This facilitates minimally invasive opening of root canal orifices and exposure of obliterated canals.









Efficiently cutting special endodontic bur used for detecting all root canals in the case of multirooted teeth. The H1SNL has a particularly high cutting efficiency and its long neck ensures a clear view in deeper regions of the cavity for opening the access cavity of the root canal system. Use in a contra-angle with micromotor at 1,500 - 2,000 rpm, without cooling, dry and apply only light pressure during preparation.





AP III DENTAL BURNER

- · Designed for safe, one handed use
- Battery powered ignition lights instantly with just a press of a button
- Adjustable flame setting and lock-off switch
- Ideal chair side or in the lab
- Burns up to 30 minutes on one butane fill-up
- · Size: 14 cm long

premium blus"

AUTOCLAVABLE ENDO RULER STAINLESS STEEL

- Durable Stainless steel
- Accurate setting
- Size: L80 mm x D12.5 mm x H3 mm



4899 Endo Ruler ... \$19.80

\$396,00/set

ENDO RULER ALUMINIUM

- · For both hand and engine instruments
- · Gauges from 1 to 30mm for right or left hand

4898 Endo Ruler ... \$19.80

SPECIAL

\$330.00



DISPOSABLE ENDO BRUSH APPLICATORS

- · For cleaning and bonding material application in root canals
- Economical, saving up to 80% by the reduction of excess materials used
- Fully disposable

3223 Endo Brush Applicators 100 pcs/pack ... \$11.55



AUTOCLAVABLE ENDO HOLDER ALUMINIUM

- · Specially designed for ultrasonic cleaning and autoclaving of root canal instruments
- Holds 18 hand or engine endo instrument up to size 110 all lengths
- Millimeter rule for rubber stop measurements for both right or left hand use
- Size: W6.5 cm x D3 cm x H5.5 cm
- Fully autoclavable up to 134°C
- Colour: Blue

2800 Endo Holder ... \$49.50

ENDO MEASURING BLOCK ALUMINIUM



- Durable aluminium construction
- Accurate settings
- Fully autoclavable up to 134°C
- Size: L150 mm x W24 mm x H33 mm
- Colour: Blue

ENDO MEASURING BLOCK PLASTIC



- Easy to use Accurate settings
- Durable construction
- Fully autoclavable up to 134°C
- Size: L100 mm x W24 mm x H32 mm
- · Colour: Blue

4888 Endo Measuring Block ... \$33.00

Lavender



AUTOCLAVABLE ENDO DISPENSER PLASTIC

- · Specially designed for cleaning and autoclaving of endo instruments
- Holds 18 hand or engine instruments up to size 120 (all lengths)
- Medical grade plastic, autoclavable up to 134°C
- Size: 85 mm x 52 mm x 14 mm

N055 Endo Dispenser ...





O Cranberry SMART DAM 6"x6"

CRANBERRY SMART DAM premium powder free latex dental dams

- · Perfect cut for an uniformed thickness and strength to provide consistent workability
- Unparalleled tensile strength for uncompromising tear resistance>700%
- High contrast for optimal visual operation
- Protein rated <50µg to minimize latex allergy exposure
- Size: 6" x 6" (152 mm x 152 mm)

6" x 6" Smart Dam Medium, 36 pcs/box



Caution: This product contains natural rubber latex which may cause allergic reaction

RUBBER DAM CLAMPS STAINLESS STEEL



Molar Clamps (With Dam-Engaging Projections)























Bicuspid Clamps (With Dam-Engaging Projections)









Labial Clamps (With Dam-Engaging Projections)









Bicuspid Clamps (Without Dam-Engaging Projections)







Rubber Dam Clamps each \$4.95









RUBBER DAM PUNCHES AND FORCEPS STAINLESS STEEL

58-152-170 IVORY \$88.55



AUTOCLAVABLE RUBBER DAM FRAME

- Proven design
- Better grip
- Enhance patient comfort

58-165-002 Rubber Dam Holder \$19.80

RUBBER DAM HOLDER STAINLESS STEEL

- · Fully autoclavable
- Sturdy design

ENDO STAND AND BOXES



4810 (78 holes) for both hand/engine 4811 (48 holes) for both hand/engine











endo instruments 4830 STAINLESS STEEL COVER

endo instruments 21mm to 31mm

endo instruments 21mm to 31mm

Endo Stand (W115mm x D52mm x H40mm) for 21mm - 30mm

4810 – 78 Holes 4811 – 48 Holes + 4 Endo Vials	
4812 - 36 Holes + Endo Clean	\$19.80
4813 – 12 Endo Vials Bur Stand (W115mm x D52mm x H40mm)	\$19.80
4818 – 78 FG Holes	
Stainless Steel Cover (W115mm x D52mm x H15mm) 4830 – Sterilization Cover	\$12.65
Perforated Bur/Endo Box (box only) 4821 (W120mm x D55mm x H56mm) Organizer Box for 1 Stand 4823 (W160mm x D120mm x H56mm) Organizer Box for 3 Stands 4825 (W265mm x D120mm x H56mm) Organizer Box for 5 Stands	. \$38.50

BUR/ENDO ORGANIZERS

PERFORATED BUR/ENDO ORGANIZER BOXES



- Smart, flexible for customized set ups
- Fully autoclavable up to 134°C
- Colour: Blue

Bur/Endo Organizer complete with 1 Stand\$ Bur/Endo Organizer complete with 3 Stands\$	
Bur/Endo Organizer complete with 5 Stands\$10	6 7.7 5
Bur/Endo Organizer complete with 1 Stand + 1 S.S. Cover \$	55.00

Bur/Endo Organizer complete with 3 Stands + 3 S.S. Covers \$135.85 Bur/Endo Organizer complete with 5 Stands + 5 S.S. Covers \$231.00



with 2 x

10002 C

10002

Contec Steri-Box

HAHNENKRATT CONTEC ROOT POST SYSTEM

Contec is designed for roots with rather conical shape.

The shape is designed with two different tapers and follows the natural shape of the root canal

- Utmost bending strength HT-Glassfiber: 1.678MPa (Determined accordingly to EN ISO 178)
- Utmost fatigue and fracture resistance
- Homogeneity due to dentin-like elasticity
- Safe adhesion due to micro-retentive surface
- · Effective, sharp cutting burs
- · High radiopacity



Standard Kit	4400D (44001 (44002 (
urement Card and 20 x Contec Posts (each size 5 pcs) contec Steri-Box + Organizer (empty) \$115.50	44003 0 44004 0

Contec Drill Refill each 42010 Preshaping Drill with Guiding Tip	
4400D Calibration Drill No. D Red(1.10mm) \$11.55 44001 Calibration Drill No. 1 White (1.30mm) \$11.55 44002 Calibration Drill No. 2 Yellow (1.50mm) . \$11.55	
44003 Calibration Drill No. 3 Blue (1.75mm) \$11.55 44004 Calibration Drill No. 4 Black (2.00mm) \$11.55	



44600 Contec Standard Kit

Contec Post Refills, 5 pcs/pack	
4460D/5 Contec Posts No. D Red (1.10mm)	\$88.55
44601/5 Contec Posts No. 1 White (1.30mm)	\$88.55
44602/5 Contec Posts No. 2 Yellow (1.50mm)	\$88.55
44603/5 Contec Posts No. 3 Blue (1.75mm)	\$88,55
44604/5 Contec Posts No. 4 Black (2,00mm)	




HAHNENKRATT BLACKLINE ENDO MIRRORS ULTRA FS TITANIUM FRONT SURFACE BENDABLE

- Micro mirrors with bendable stem for a precise alignment of the mirror
- Can be also used for Periodontics especially for flap openings

BLACKline Microflex Endo Mirror	
Titanium Front Surface Bendable	each
B5181 ULTRA FS Round 3 mm	\$165.00
B5182 ULTRA FS Round 5 mm	\$165.00
B5183 ULTRA FS Oval 3 x 6 mm	\$178.75
B5184 ULTRA FS Drop Shaped 3 x 6 mm	\$178.75
B442 Ergotouch Black Mirror Handle Stem	. \$27.50





ENDO CUSHIONS

802 Peel-N-Stick Endo Cushion 50 pcs/pack ... \$39.60

- · Hold, arrange and clean small instruments during endodontic or implant procedures
- · Ideal for files, screws, drills and pluggers etc
- Peel-and-stick back secures to patient napkins, tray covers or anywhere handy
- · Pre-arranging saves set up time
- Dense blue polyurethane foam 3" (7.5 cm) long



AUTOCLAVABLE ENDO HOLDER

- Holder for used files with
- disposable foam plastic cushions Built in endo file ruler
- Stainless steel construction
- Fully autoclavable

1180 Endo Holder Stainless Steel \$38.50 801 Disposable Foam Cushions 50's \$39.60





AUTOCLAVABLE ENDO STAND

- · Fully autoclavable plastic stand with disposable sponge insert
- · Cleans and holds endo instruments
- · Silicone ring base resists sliding

4833 Endo Stand Large (dia. 45 mm) \$19.80 812 Endo Sponges 50 pcs/pack \$33.00

AUTOCLAVABLE ENDO MEASURE ROUND STAINLESS STEEL



- · Holds 8 instruments at preset measurement
- · Solid stainless construction, fully autoclavable
- With Endo Cushion holder
- Size: Dia. 33mm

032 Endo Measure ... \$50.05 806 Cylindrical Endo Cushions 50 pcs/box \$33.00

AUTOCLAVABLE TRIANGULAR ENDO RING AND CUSHIONS



- · Fully disposable cushions
- Colour: Blue

088 Autoclavable Cushion Holders with Large and Small Rings \$16.50 803 Disposable Cushions 50 pcs/box

DISPOSABLE ENDO SPONGES



Fully disposable blue polyurethane sponges

811 Endo Sponges, 50 pcs/pack .. \$29.15 812 Endo Sponges, 50 pcs/pack .. \$33.00

E-xtreme Lighter Smaller



Miniature contra-angle for better visibility & easier posterior access

360° contra-angle rotation



Reciprocation function: five optional angles



Built-in file system

Slim and compact design for maximum comfort and mobility

Weight: 99 gms

Torque: 0.5 N.cm-4.0 N.cm

E-xtreme Endo Motor each \$880.00



E-CONNECT

Cordless Endomotor

Reciprocation Modes (M0)

> Editable Memory **Programs** (M1 to M9)



Miniature Head

Eighteeth



Detachable



360° Adjustable Contra Angle



Autoclavable

Connect Endo Motor each \$950.00







Auto Start & Stop



Apical Reverse



Apical Slow Down

E-PEX Apex Locator each \$396.00



Integrate Endomotor with Apex Locator (Connect Function)



- Imported Al High-Speed Chip
- Advanced Multi Frequency Technology
- High Precision in Wet & Dry Canals
- Automatic Calibration



• Different beep tones indicate the position of the file in the root canal

Large 3.5" LCD Display

Visual display of file position

Volume Adjustable

Meets different usage needs

File Clip with Large Arc

Easier file installation

Biomimetic-silica-wrapped File Clip

 Can be autoclaved more than 1000 times, avoid cross-infection

316L Stainless Steel Lip Hook

Safer medical grade stainless steel

Powerful 1500 mAh lithium-ion battery


precisionplus"

· Long-lasting battery life

Compact Size & Stable Design

 In line with clinical operating habits, more convenient to use

7 colours



 Rechargeable lithium batterv Accessories autoclavable up to 134°C

• Screen size: 110 mm x 70 mm

A08-3 Spare Hook \$49.50 A08-4 Spare Cord \$38.50 A08-5 Spare Clip \$49.50

· Bright LCD screen with the trajectory of the file being clearly indicated by different colours · Foldable design with adjustable view angle, saves space and protects the screen

• The unit is designed with a smooth seamless body and membrane buttons to enhance cold sterilization

· Measurement results are not affected by tooth type, size of root canal or the internal environment of root canal

· Advanced multiple frequency technology with automatic calibrating ensures accurate measurement

24 MONTH WARRANTY


A08 SPECIAL

\$247.50















A08 DENTAL APEX LOCATOR

and help avoid cross contamination

Overall size: L122 mm x W118 mm x H25 mm • Weight: 300 gms (including battery)